

Diagnostic criteria for Fetal Alcohol Syndrome (FAS)	FAS w/ confirmed exposure	FAS w/o confirmed exposure	Partial FAS w/confirmed exposure	Partial FAS w/o confirmed exposure
<p>Criteria</p> <p>A) Confirmed maternal alcohol exposure</p> <p>B) Evidence of facial anomalies (2 or more): ~Short palpebral fissures (less than 10th %ile) ~thin upper lip (4/5 on guide) ~smooth philtrum (4/5 on guide)</p> <p>C) Evidence of prenatal/postnatal growth retardation ~Height or weight 10th %ile or less, corrected for racial norms, if possible</p> <p>D) Evidence of deficient brain growth or abnormal morphogenesis, including 1 or more of the following: ~structural brain abnormalities ~head circumference equal to or less than the 10th percentile ~Recurrent nonfebrile seizures (other causes of seizures having been ruled out)</p> <p>E) Neurobehavioral impairment For children ≥3 y of age (a or b): a. WITH COGNITIVE IMPAIRMENT: –Evidence of global impairment (general conceptual ability ≥1.5 SD below the mean, or performance IQ or verbal IQ or spatial IQ ≥1.5 SD) OR –Cognitive deficit in at least 1 neurobehavioral domains ≥1.5 SD below the mean (executive functioning, specific learning impairment, memory impairment or visual-spatial impairment) b. WITH BEHAVIORAL IMPAIRMENT WITHOUT COGNITIVE IMPAIRMENT: –Evidence of behavioral deficit in at least 1 domain ≥1.5 SD below the mean in impairments of self-regulation (mood or behavioral regulation impairment, attention deficit, or impulse control)</p>	<p><input type="checkbox"/></p> <p><input type="checkbox"/></p> <p><input type="checkbox"/></p> <p><input type="checkbox"/></p> <p><input type="checkbox"/></p> <p>*Need the following</p> <p><input type="checkbox"/></p>	<p><input type="checkbox"/></p> <p><input type="checkbox"/></p> <p><input type="checkbox"/></p> <p><input type="checkbox"/></p> <p>*Need the following</p> <p><input type="checkbox"/></p>	<p><input type="checkbox"/></p> <p><input type="checkbox"/></p> <p><input type="checkbox"/></p> <p><input type="checkbox"/></p> <p>*Need the following</p> <p><input type="checkbox"/></p>	<p><input type="checkbox"/></p> <p>Need one of the following</p> <p><input type="checkbox"/></p> <p><input type="checkbox"/></p> <p>*Need the following</p> <p><input type="checkbox"/></p>
<p>ARND Alcohol Related Neurodevelopmental Disorder</p>				
<p>A) Confirmed maternal alcohol exposure</p> <p>B) Neurobehavioral impairment For children ≥3 y of age (a or b): a. WITH COGNITIVE IMPAIRMENT: –Evidence of global impairment (general conceptual ability ≥1.5 SD below the mean, or performance IQ or verbal IQ or spatial IQ ≥1.5 SD) OR –Cognitive deficit in at least 2 neurobehavioral domains ≥1.5 SD below the mean (executive functioning, specific learning impairment, memory impairment or visual-spatial impairment) b. WITH BEHAVIORAL IMPAIRMENT WITHOUT COGNITIVE IMPAIRMENT: –Evidence of behavioral deficit in at least 2 domains ≥1.5 SD below the mean in impairments of self-regulation (mood or behavioral regulation impairment, attention deficit, or impulse control)</p>	<p><input type="checkbox"/></p> <p><input type="checkbox"/></p>			